

Checklist LO5-LEP1

CODE LO5 - LEP1 Category Tricycle Checklist

1st February 2006

Owner Details

Owner's Name _____

Address _____

Telephone _____ Mobile _____

Email _____

Vehicle Details

Make _____ Model _____ Year of Manufacture _____

Vehicle Mass (kg) _____ Fuel Tank Certification Number (where applicable) _____

VIN/Chassis Number _____

Engine Details

Make _____ Type _____ No. of Cylinders/Rotors _____

Displacement _____ Litres or _____ Cubic Inches Year of Manufacture _____

ADR Engine was designed to comply with _____ Maximum Power Output _____ kW or _____ BHP

Signatory Approval

Vehicle Approved By (Signatory) _____

Signatory Employer (if applicable) _____

Signed

_____ Date _____

ICV Tricycle Guidelines: LO5-LEP1 Checklist

(NA= Non Applicable, Y=Yes, N= No, Sig= Signatory)

MAKE:				MODEL				CATEGORY LEP > 450kg Unladen mass	
ENGINE No.				VIN:					
ADR 1/00 REVERSING LIGHTS (October 1991)									
CLAUSE NO	FEATURE					COMPLIANCE		Sig	
	Refer ADR 67/00								
ADR 2/00 DOOR LATCHES AND HINGES									
CLAUSE NO	FEATURE					Compliance		Sig	
	Where applicable								
2.2.1.1	Two latch positions?					Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>			
2.2.1.1.1/2	Longitudinal and transverse restraints?					Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>			
2.2.1.3	Locks on all side doors and operating mechanism in the interior?					Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>			
2.2.1.3.1	Do front door locks prevent their opening from outside?					Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>			
2.4	If 'E' marked R11, Approval No.					Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>			
ADR 3/02- SEATS AND SEAT ANCHORAGES									
CLAUSE NO	FEATURE					Compliance		Sig	
5.8.1	Self-locking restraining device and release control provided on all hinged seats or seat backs?					Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>			
5.8.2	Where the seat must hinge for access, is release control readily accessible to the occupant of that seat, and to the occupant of any seat immediately behind?					Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>			
5.8.6	Where 'SEATS' are mounted on hinged engine covers, is cover self latching?					Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>			
7	If 'E' marked R17, Approval No.					Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>			

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

ADR 4/03 – SEATBELTS				
CLAUSE NO	FEATURE		Compliance	Sig
	Note: Depending on the design of the Trike seatbelts may be exempt..			
5.3	Retractor lap sash seat belts on all outboard seating positions?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.3.1.2	Lap belts, at least, for all other seating positions?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.7	For any two seating position, identify:	(1)	(2)	
	(1) location			
	(2) mfr name/trade mark #			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
	(3) date of manufacture M/Y(not required if ECE)			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
	(4) identification code #			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
	(5) AS2596 Lic no		
	Buckle Identification code if different to Lap/Sash			Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
	If 'E' marked R16, Approval NO			
5.3.1.1	Driver's seatbelt only incorporate an ELR?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.3.1.2	All other outboard seatbelts incorporate an ELR and/or an ALALR?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.4	Removal of seatbelt assembly or separation of functional components without tools prevented?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.8.1	Are all buckles of a quick-release design?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.8.1	Are release instructions printed legibly on the front of the buckle and/or the release coloured red or orange? (for ECE)		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.3.1 6.3.3	Any free end of strap of a seatbelt, (1) Prevented from passing through an adjuster?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Have at least 25mm available grip when fully extended?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

7.4	Buckle component of the retracting strap accessible?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.5	Buckle component of the non-retracting part of seatbelt assembly (for individual front seats), supported by rigid member and pivots no more than 50mm vertically?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.6	Positive feature to restrain outboard buckles?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 5/04 – ANCHORAGES FOR SEATBELTS			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
5.2.1	Seat belt anchorages for all seating positions?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13	If 'E' marked R14, Approval No		
ADR No 7/00 - HYDRAULIC BRAKE HOSES (refer ADR 42/03)			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
7.4	For any one brake hose, identify (1) Location & (2) Marking?		
7.6.8	End connections protected against corrosion	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 8/01 - SAFETY GLAZING MATERIAL			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Note: Trikes may not be fitted with glazing (not mandatory).		
5.3	Is transparent material other than glass used in the vehicle? If YES, note the location and markings.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.1	All glazing suitably marked?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
5.4	Windscreen glass marked as being laminated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
8.1	Glazing standard and approval No. (1) Windscreen ? (2) Driver's side Window ? (3) Rear screen ?		

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

ADR 10/01 - STEERING COLUMN				
CLAUSE NO	FEATURE		COMPLIANCE	Sig
	Is Trike fitted with a leading link front suspension?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.4	If 'E' marked' R12, Approval No			
ADR 11/00 – INTERNAL SUN VISORS				
CLAUSE NO	FEATURE		COMPLIANCE	Sig
	Note: It is unlikely that a Trike will have internal sun visors fitted		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 12/00 – GLARE REDUCTION IN FIELD OF VIEW				
CLAUSE NO	FEATURE		COMPLIANCE	Sig
12.2.1	Are all surfaces of components in the driver's field of view of a matt or satin finish?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 14/02 - REAR VISION MIRRORS				
CLAUSE NO	FEATURE		COMPLIANCE	Sig
14.2.1 14.2.3.1.1	Reflective surfaces of the internal mirror flat?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Driver's external mirror fitted? , is it 'Flat' or 'Convex'?.		Flat <input type="checkbox"/> Convex <input type="checkbox"/>	
	If LHS external mirror fitted, is it 'Flat' or 'Convex'?		Flat <input type="checkbox"/> Convex <input type="checkbox"/>	
14.2.3.1.1	RHS external mirror adjustable from the drivers seating position?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.2.3.1.1	RHS external mirror not obscured by the unwiped portion of the windscreen?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.7	If 'E' marked R46, Approval NO.	Internal External		
ADR 15/01 - DEMISTING OF WINDSCREEN (NA to vehicles certified to ADR No 42/04)				
	Note: Applies only to those vehicles with an enclosed cab.			
CLAUSE NO	FEATURE		COMPLIANCE	Sig
15.2.1	Provision made for windscreen demisting?		Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

ADR 16/01 - WINDSCREEN WIPERS & WASHERS (NA to vehicles certified to ADR No 42/04)			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
16.2.0	Are wipers power operated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
16.2.1	Corresponding areas wiped in front of the driver and the front seat passenger?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
16.2.2 16.5.1.6	Wiper and washer controls readily accessible to driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
16.2.3	If operated by engine manifold vacuum, is a vacuum reservoir or pump provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
16.3.1	Number of frequencies? (including intermittent cycles)	
16.3.2	Frequency of highest speed?cpm	
16.3.3	Is frequency of lowest speed 'above 20 cpm'?cpm	
16.5.1	Is windscreen washing system operable?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
16.5.1.7	Is washer bottle capacity at least 1 litre?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 18/02 - INSTRUMENTATION			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	For All Vehicle Categories.		
18.4.2	Speed indicating element colour and background contrast?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.5.1.1.1	Vehicle speed indicated in km/h only?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.5.1.2	Speedometer readily visible to the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
18.5.2.1.1	Odometer. Distance travelled indicated in a least 1km units, at least from 1 to 600 000km?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 19/02 – LIGHTING FOR L CATEGORY			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Note: Vehicle complying with ADR 67 is deemed to comply with ADR 19/02		
ADR 20/00 – SAFETY RIMS			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
20.1.1	Are safety rims employed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 21/00 - INSTRUMENT PANEL			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
21.2.1	Panel left of steering wheel appears to be padded?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
21.3.1	Interior compartment door(s) have a positive retention system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

ADR 22/00 - HEAD RESTRAINTS			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
22.2.2.2	Minimum height of upper boundary above intersection of seat cushion and seat back at centre line of seat greater than 700mm? mm	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
22.2.3	Width not less than 170mm for individual seat and 250mm for bench seat at approx 700mm? mm	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
22.6	If 'E' Marked, R25 or R17 Approval No		
ADR 23/01 - PASSENGER CAR TYRES			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
23.2.3	For one tyre fitted, identify: (If tyre size different front and rear, complete for 1 Fr & 1 Rr tyre) (1) Manufacturer or trade mark (2) Tyre size, speed category and carcass construction symbols (3) Date code.	FR TR..... FR TR..... FR TR.....	
23.2.2.1.2	At least 4 tread wear indicators?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
23.2.3	Each tyre labelled on both sides, except for 'Asymmetrical Tyres', which are at least labelled on the outer 'Sidewalls'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
23.2.3.8	If tyre is 'Asymmetrical', outer face indicated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
23.4	If 'E' marked R30, Approval No		
ADR 24/02 - TYRE AND RIM SELECTION (NA to vehicles certified to ADR No 42/04)			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
24.2.1.1	A placard of durable material permanently affixed to the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
24.2.1.1.	Placard contains the following: (1) For each nominated rim profile the recommended tyre size?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Recommended tyre pressures in kPa?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Statement on load rating and speed category?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

24.2.5.1	All tyres fitted to the vehicle of the same type of 'Carcass' construction?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
24.2.5.3	Tyre and Rim combination on vehicle included on placard?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
24.2.5.4.1 24.2.5.4.2	Maximum load rating and speed category of tyre fitted equal to or greater than that on the placard?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Part number if shown on the placard?.....Pt No.....		

ADR 25/02 - ANTI-THEFT LOCK

CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Note: Where a self arming immobiliser is fitted, a steering lock is not required		
	Is an immobiliser fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.5.9.1	Switch position 'Engine On' to 'Anti-theft' through 'Engine Off'?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1,5	Key removal only in the anti-theft position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1,A.6.3	With key in anti-theft position, is one of the following impossible? Steer vehicle/Engage forward drive gears/Release a brake? (Circle which is applicable)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A.6.1.5	'Engine off' position to 'anti-theft' position by more than a single rotary or linear motion of the key, or if key removal activates the 'anti-theft device, more than 2mm of movement required to activate.?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.0	If 'E' marked, R18 Approval No		

ADR 28/01 – MOTOR VEHICLE NOISE (LEP July 1992)





CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Is exhaust level less than 94dB(A)? (Stationary test recorded at 500mm from exhaust outlet)	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 29/01 – SIDE INTRUSION BARS

CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Applies only where doors are fitted. Are doors fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	



Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

ADR 30/01 - SMOKE EMISSION CONTROL FOR DIESEL VEHICLES			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
30.5.1	Regulation and Mark (If 'E' marked R 24, Approval No) (This rule does not normally apply).		
ADR 31/00 - PASSENGER CAR BRAKES (Applies to LEP category where front and rear brakes are interconnected)			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
31.2.1.1	Service brake, split system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
31.2.1.3 31.2.2.3	Adequate provision made for adjustment of service and park brake systems?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
31.2.5.1 31.2.5.4	(1) Combined reservoir for split system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) If yes, is there a divider fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
31.2.3.1 31.2.3.3 31.2.3.4.1	Service brake failure indicator lamp: (1) Fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Activation check satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Labelling satisfactory with at least the word 'BRAKE,' or ISO symbol 	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
31.2.3.4.3	Anti-lock system failure lamp (If fitted & used exclusively for Anti-lock System): (1) Activation check satisfactory?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Labelling satisfactory with the word 'Anti-lock' or equivalent?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Lens or lettering, Red or Yellow?	Red <input type="checkbox"/> Yellow <input type="checkbox"/>	
31.2.2.1	Park brake mechanical only?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
31.2.1.2 31.2.2.2	Braking controls readily accessible to driver and easily operated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
31.2.4.1	Park brake indicator a separate Lamp (S), or a combination unit (C) with service brake failure lamp? (Indicate S or C).		
	Labelling satisfactory with the word 'PARK BRAKE,' or ISO symbol  , or 'BRAKE" or  if combined with service brake ?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

ADR 31/01 - PASSENGER CAR BRAKES (For all NEW Models from 1-Jan-2004, for ALL Vehicles from 1-Jan-2006)			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
A 5.1.2.1 A 5.1.2.2 A 5.1.2.3	Braking controls readily accessible to driver and easily operated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.2.2	Service brake control separate from Park brake?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.2.5	Secondary brake system provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.2.7	(1) Is service brake a split system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Combined reservoir for split system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) If Yes, is there a divider fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.3 A 5.2.8.1 A 5.2.3	Is a Service brake failure RED tell-tale lamp fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) For electrical detected failures is a YELLOW failure lamp fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Is a Park brake indicator lamp fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(4) Park brake indicator a separate Lamp (S), or a combination unit (C) with service brake failure lamp? (Indicate S or C).	<div style="border: 1px solid black; width: 40px; height: 15px; margin: 0 auto;"></div>	
A 5.2.6	Service brake on all wheels?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.11	Adequate provision made for adjustment of service and park brake system?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.11.2	Is it possible to easily check wear of service brake linings?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If NA Is an acoustic or optical warning device provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.12	For hydraulic braking systems are the filling ports of the fluid reservoirs readily assessable and fluid level easily checked? If NA Is a RED warning signal provided to draw attention to a low fluid level?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 5.2.13	Is a label identifying the type of fluid (DOT3/DOT /DOT5), and the symbol  (For Non-Petroleum base fluid), or  (For Petroleum based fluid) fitted within 100mm of fluid ports?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
A 6 4.1.1	If ABS fitted is a YELLOW warning signal provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6	Regulation and Mark (If E marked R 13, Approval No)		

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

ADR 33/01 – BRAKES SYSTEMS FOR MOTORCYCLES AND MOPEDS			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	This ADR applies to LEP vehicles fitted with separate controls for front and rear service brakes.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 34/01 - CHILD RESTRAINT ANCHORAGES & CHILD RESTRAINT			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Note: The fitment of child restraint anchorages to most LEP vehicles would be impractical and as such an exemption from their fitment would be necessary.		
34.2.1, 34.3.1 34.3.2	Child Restraint Anchorages provided for each applicable rear seating position? Note positions provided with CRAs (Circle where applicable) 2 nd Row L C R 3 rd Row L C R		
34.2.1	Child Restraint Anchor Fitting installed in at least the centre rear position, unless centre lap sash belt fitted? If not fitted in centre position note where fitted.	L <input type="checkbox"/> R <input type="checkbox"/>	
34.2.1.1.2	For positions where 'Anchor Fitting' is not provided, does anchorage have 5/16 UNC thread?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.1.2.2	For positions where 'Anchor Fittings' are not provided and a non-standard bolt is required, is the Bolt and appropriate spacer provided in the glove box?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.5.2	Is anchorage located within the shaded area in Fig 6?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.1.1.2 34.6,	Clearance provided around each 'Fitting' to allow latching and unlatching of 'Attaching Clip'	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.2.2	Location information and instructions for use provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
34.4.1.3	Access provided without the removal of items, except for closure plugs?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 37/00 – EMISSION CONTROL FOR LIGHT VEHICLES			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Note: Engines sourced from M&N category vehicles are required to meet this rule. Does engine fitted comply with IM240 test?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

ADR 42/03 - GENERAL SAFETY REQUIREMENTS (NA to vehicles certified to ADR No 42/04)			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
5	BONNET LATCHING If bonnet front opening, is a second latching position provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7	DIESEL ENGINES Is device fitted to prevent inadvertent starting of engine?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
8.1.1	STEERING SYSTEM Steering wheel located centrally or to the right?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
8.1.2	Are components essential to steering designed to transmit energy by mechanical means only?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
8.2	AUTOMATIC TRANSMISSION Fitted with automatic transmission ? If YES:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
8.2.5	Starter inoperative in forward or reverse?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.1.1	ELECTRICAL WIRING Supported at not more than 600 mm intervals?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.1.2/3/4	Properly insulated, located and protected from chafing?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.1.1	EXHAUST OUTLETS (1) Exhaust pipe extends at least 40 mm beyond rearmost unsealed joint of floor-pan?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Exhaust outlet within vehicle perimeter in plan?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.1.2	If exhaust discharges to the side of vehicle is it to the right side and downwards between 15 deg and 45 deg to the horizontal?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.1.3	If the exhaust discharges to the rear of the vehicle, is it between 10 deg above and 45 deg below horizontal?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
12.1	EXTERNAL OR INTERNAL PROTRUSIONS Devoid of external or internal projections or sharp or pointed fittings?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
12.1.4	Bumper bar ends turned back?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13	FIELD OF VIEW Driver's view on either side and in all directions in front of the vehicle unobstructed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

15.1.1	WHEEL GUARDS (MIDGUARDS)? Fitted with a device that will prevent stones, mud, ice and snow from being thrown upwards?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
15.1.2.1	Are front and rear wheels shrouded by wheel guards that will prevent stones, mud, ice and snow from being thrown upwards as far as possible?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.1	TELEVISION AND VISUAL DISPLAY UNITS Television receiver visual display monitor fitted? If YES:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.1.1/2	Is obstruction of driver's vision or impediment to driver or passenger movement prevented?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.1.3	Is it unlikely to increase risk of occupant injury?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
19.2	Is driver's visibility of images other than for driver's aid prevented?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
21.2	WARNING DEVICE AUDIBLE Fitted with at least one horn with constant amplitude and frequency characteristics?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 42/04 - GENERAL SAFETY REQUIREMENTS (From 1 JAN 2005)			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
5.	BONNET LATCHING If bonnet front opening, is a second latching position provided?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
6.	DIESEL ENGINES Is device fitted to prevent inadvertent starting of engine?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.1	STEERING SYSTEM Steering wheel located centrally or to the right?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1.2	Are components essential to steering designed to transmit energy by mechanical means only?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	AUTOMATIC TRANSMISSION Fitted with automatic transmission ?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If YES: Starter inoperative in forward or reverse?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9.1.1	ELECTRICAL WIRING Supported at not more than 600 mm intervals?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9.1.2/3/4	Properly insulated, located and protected from chafing?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	EXHAUST OUTLETS (1) Exhaust pipe extends at least 40 mm beyond rearmost unsealed joint of floor-pan?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

	(2) Exhaust outlet within vehicle perimeter in plan?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.2.1	If exhaust discharges to the side of vehicle is it to the right side and downwards between 15 deg and 45 deg to the horizontal?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
10.1.3	If the exhaust discharges to the rear of the vehicle, is it between 10 deg above and 45 deg below horizontal?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.1.3	EXTERNAL OR INTERNAL PROTRUSIONS Devoid of external or internal projections or sharp or pointed fittings?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
11.1.4	Bumper bar ends turned back?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.1.1	WHEEL GUARDS (MUDGUARDS) Are front and rear wheels shrouded by wheel guards that will: (1) Direct downwards stones, mud, ice and snow as far as practicable?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Prevent direct contact in collision?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
14.1.2.1.1	Provides cover at least as shown in Fig. 1 or 2 of ADR 42/00 as applicable?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
15.	BRAKE TUBING AND BRAKE HOSES All brake hoses and tubing fitted to prevent chafing, kinking or other mechanical damage? If marked, provide details from 1 hose	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
21.2	WARNING DEVICE AUDIBLE Fitted with at least one horn with constant amplitude and frequency characteristics?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
23	DEMISTING OF WINDSCREENS Is a device fitted to remove condensed moisture from the windscreen?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
24	WINDSCREEN WIPERS AND WASHERS (1) Is a power driven windscreen wiping system fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Is a windscreen washing system, which directs water onto the swept area fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Is the device/s for operating the wipers and washers within easy reach of the driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
25	TYRE AND RIM SELECTION Is a tyre placard fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Does the placard contains the following information: (1) Manufacturers recommended tyre size?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

	(2) Recommended cold inflation pressures in kPa?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Recommended load rating and speed category?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Maximum load rating and speed category of tyre fitted equal to or greater than that on the placard?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Part number if shown on the placard?.....Pt NO		

ADR 44/02 - SPECIFIC PURPOSE VEHICLE REQUIREMENTS			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	L.P.G. FUELLED VEHICLES		
44.6.3	Vehicle clearly permanently marked in a conspicuous position within the engine compartment with the following information?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.6.3.1	(1) Installed as per AS1425-1989?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.6.3.2	(2) Identification of the installer? (If not the same as the manufacture, note details).....	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.6.3.3	(3) Date of installation?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
44.6.4	Are labels to be affixed to registration plates and supplied for inspection, at least 25mm square and red in colour?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

ADR 45/01 – LIGHTING AND LIGHT SIGNALLING DEVICES NOT COVERED BY ECE REGULATIONS			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Refer ADR 19 or 67		

ADR 46/00 – HEADLAMPS			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Refer ADR 19 or 67		

ADR 47/00 – RETRO REFLECTORS			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Refer ADR 19 or 67		

ADR 48/00 – DEVICES FOR ILLUMINATION OF REAR REGISTRATION PLATES			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Refer ADR 13 Clause A.6.8.2		

ADR 49/00 – FRONT AND REAR POSITION SIDE LAMPS, STOP LAMPS AND END OUTLINE MARKER LAMPS			
CLAUSE NO	FEATURE	COMPLIANCE	Sig

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

	Refer ADR 19 or 67		
ADR 51/00 – FILAMENT LAMPS			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Refer ADR 19 or 67		
ADR 53/00 – FRONT AND REAR POSITIONED LAMPS, STOP LAMPS, DIRECTION INDICATORS AND REAR REGISTRATION PLATE LAMPS FOR L GROUP VEHICLES			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Refer ADR 19 or 67		
TRANS TASMAN VEHICLE STANDARDS 55/00 –HEADLAMPS FOR MOTORCYCLES			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
	Refer ADR 19 or 67		
ADR 60/00 - CENTRE HIGH MOUNTED STOP LAMPS (Except For Vehicles Certified To ECE R48)			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
60.4.1	Is a Central High mounted Stop Lamp fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
60.2.4.3	Does the lamp design provide for easy replacement of the globe without the use of special tools?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
60.4.4.1	Mounted on the vehicles median longitudinal plane?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
60.4.4.2	Mounted with no part of the lens lower than the bottom edge of the rear window by more than 77mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR No 61/02 - VEHICLE MARKING			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
5.1	VEHICLE IDENTIFICATION NUMBER Is the VIN clearly visible on an integral part of the vehicle not easily removed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If VIN is directly marked on an integral part of the vehicle, is the minimum height at least 7mm? If NO What is height of VIN? Indicate in mm.mm	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If VIN is on a separate plate which in turn is permanently affixed to an integral part of the vehicle, is the minimum height at least 4mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
7.1	ENGINE NUMBER Can a legible engine number be readily seen when the engine is installed in the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Is the engine number permanently stamped, cast, laser, engraved or a combination of these on the main component of the engine?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

9.1.2 9.1.2.1	REGISTRATION PLATES Are provisions made for the fitment of a rear registration plate with its centre no less than 300mm above the ground?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
9.1.1.3	No part of the rear number plate obscured by any part or equipment on the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
ADR 62/01 – MECHANICAL CONNECTIONS BETWEEN VEHICLES			
CLAUSE NO	FEATURE	COMPLIANCE	Sig
10.1	COUPLINGS AND TOWBARS (OPTIONAL) (1) If fitted, does the ball of a ball coupling, for use with a trailer of ATM not exceeding 3.5t, have a diameter of 50mm?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Is coupling marked '50' in 5mm high characters?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.1.1	FOR TOWBARS UP TO 3.5t If fitted, does the 'Towbar' display the following information in letters not less than 2.5mm in height; (1) The Manufacturer's, Supplier's, or Importers Identification?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Vehicle Make and Model or Towbar Part No?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Towing Lug Part No (If different to towbar)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(4) Max Towball down load(kg)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(5) Rated Towbar capacity(kg)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(6) FOR TOWING PURPOSES ONLY	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
13.1.1	Is an additional label fitted in a conspicuous position on the vehicle, and displays the following information? (1) Max. Towball down load (kg)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Rated Towbar Capacity(kg)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) FOR TOWING PURPOSES ONLY?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

ADR 67/00 – INSTALLATION OF LIGHTING AND LIGHT SIGNALLING DEVICES ON THREE WHEELED VEHICLES								
(1) If any item in column 1 is 'E' Marked note marking in Column 2.								
(2) Audit at least 2 items for each of Columns 3 to 9 inclusive. Circle non-compliance's, otherwise tick.								
(3) Indicate compliance status for table at end in space provided.								
FEATURES								
(1) FEATURE	(2) If 'E' Earmarked Approval NO	Height (#)		(5) APART (#)	(6) EDGE (#)	(7) G (*)	(8) C (*)	(9) R
		(3) MAX	(4) MIN					
Main beam (*) (CI 67.4.1)					(*) Dipped beam	Dip		Dip
Dipped beam (*) (CI 67.4.2)			1200	(*) 500	400	Main		Main
Front fog lamp (+) (CI 67.4.10)		<Dip. beam	250		400	%f		Main Swiv
Reversing Lamp (*) (CI 67.4.14)		1200	250			%r		
Direction Indicator Front (CI 67.4.3) (*)		1200	350	300 ≥ 100 MAIN OR DIP	400	%f		Park
Direction Indicator Rear (CI 67.4.3) (*)		1200	350	240	400	%r		Park
Direction Indicator side (CI 67.4.3) (*)								
Stop lamp (CI 67.4.4) (*)		1200	350	600/400 67.4.4.3.1.2		%r		RPos Park
Rr. Regn. Plate lamp (CL 67.4.5) (*)						%r	%r	%r

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

Fr. Position (side) Lamp (CI 67.4.6) (*)		1500	350	Symmetrical	400	%f		%f
Rr. position (side) Lamp tail lamp) (CI 67.4.7) (*)		1500	350	400	400	%r	Reg	Stop
Rear fog lamp (+) (CI 67.4.11)		1000	250	≥100 FROM STOP		%r	%r	
Parking Lamp (+) (CI 67.4.13)		1500	350		400	%		% f
Reflex reflector Rear (*) (CI 67.4.8)		900	350	400	400	%r		
(Non-triangular) Front (+) (CI 67.4.17)		900	350	Central Or 400	400	fpos		
Side(+) (CI 67.4.12)		900	350			%		
Conspicuity lamps (*) (CI 67.4.18)		1200	250	Symmetrical		%f	%f	%f indic

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

<p>G = 'Grouped Lamps' means devices having separate illuminating surfaces and separate light sources, but a common lamp body.</p> <p>C = 'Combined' means devices having separate illuminating surfaces, but a common light source and common lamp body.</p> <p>(*) = Mandatory; (+) = If fitted.</p> <p>(#) = HEIGHT - To highest (Max) and lowest (Min) points on illuminating surface.</p> <p>Apart – Distance between innermost edges of illuminating surface.</p> <p>EDGE – Maximum distance from outer edge of vehicle to illuminating surface.</p> <p>All dimension in mm.</p> <p>Column (7) to (9) indicates specific lamps which may be grouped (G), combined (C) or reciprocally incorporated (R).</p> <p>%f = Permitted with any other frontlamp.</p>	<p>R = 'Reciprocally Incorporated' means devices having separate light sources (or a single light source operating in different ways), but a common or partially common illuminating surface and a common lamp body.</p> <p>%r = Permitted with any other rear lamp.</p> <p>% = Permitted with any other lamp.</p> <p>Dip = Permitted with Dipped Beam.</p> <p>Main = Permitted with Main Beam.</p> <p>Fpos = Permitted with Front Position Side lamps.</p> <p>Park = Not permitted with Park Lamps.</p> <p>Park = Permitted with Park Lamps.</p> <p>Stop = Permitted with stop lamps.</p> <p>Rpos = Permitted with Rear Position Side Lamps.</p> <p>Reg = Permitted with Rear Registration Plate Lamp.</p> <p>bdie = Not permitted with Indicator Lamps.</p>
---	---

CLAUSE NO	FEATURE	COMPLIANCE	Sig
67.3 67.3.1	VISIBILITY Are apparent surfaces of all lamps unobstructed by any parts of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.3 67.3.5	GENERAL SPECIFICATIONS Are all lamps constituting a pair symmetrical?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.3.9	No red light visible from the front and no white light (except reversing light) visible from the rear of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.3.10	Can all front and rear position lamps, the rear registration plate lamp, and the passenger car side lamps (if fitted) be only switched on and off together?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.3.11	Is it not possible to switch on the main-beam, dipped-beam and front and rear fog lamps with out first switching on the lamps referred to in clause 67.3.10?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.3.13.1	Are no lamps (other than driving, passing or front fog lamps) concealed?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

67.3.13.2	Is it possible to move a concealed lighting device into the position of use, without the aid of tools, in the event of a defect?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.1	MAIN-BEAM HEADLAMPS Are all main beams switched off when changing over from main beam to dipped beam?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.1.3.1.1	For single dipped beam application with an independent main beam. Is this main beam mounted directly above or below the dipped beam with its geometric centre situated on the longitudinal median of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.1.3.1.2	For two dipped beam applications are the main beam lamps mounted no closer to the outside edge of the vehicle than the outer edge of the dipped beam headlamp?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.1.10	Circuit closed tell-tale colour blue and non-flashing?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.2.9.1	DIPPED – BEAM HEADLAMPS Control within easy reach of driver?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.2.10	If operational tell-tale fitted, is it green and non-flashing?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.2.3.1.1	For single lamp applications, is this lamp mounted with its geometric centre situated on the longitudinal median of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.3.3.1.1	DIRECTION INDICATOR LAMPS LE1 (1) Front indicators at least 300mm apart?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Front indicators further apart than the outside surfaces of the headlamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(3) Front indicator lamps at least 100mm from the headlamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(4) Rear indicators not more than 400mm from the extreme outer edge of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.3.3.3.2	Front indicators within 1,800mm of the front surface of the vehicle? (2,500mm if necessary to comply with visibility requirements).	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.3.9	ALL VEHICLES Independent switch and flash in phase?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.3.10	(1) Is a visible tell-tale fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Tell-tale behaviour on turn signal malfunction?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(A) - Marked frequency change, (B) - Continuously on, or (C) – Continuously off (Indicate A, B, C,)?	<input style="width: 50px; height: 20px;" type="text"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

67.4.3.11.1.3	For DC supply indicators flash 60 to 120 times per minute?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.3.11.3.1	For AC supply, indicators flash 45-120 times per minute?	<input style="width: 50px; height: 20px;" type="text"/>	
67.4.3.11.1.3	Lights up within 1 second and extinguishes within 1.5 seconds?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.3.11.4	If one lamp fails (other than due to a short-circuit) do other lamps flash when actuated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.4.9	STOP LAMP Lighted with any service brake application?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If fitted, is telltale non-flashing operational type?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.5	REAR REGISTRATION PLATE LAMP Illuminates the registration plate area?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.5	FRONT POSITION LAMPS One or Two lamps fitted in Dipped Beam headlamp? Please circle	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Not further than 400mm from extreme outer edge of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.6.3.1.2 67.4.9.3	Instrument lights as tell-tail?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If NA, is a non-flashing green tell-tale fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.7.1.1	REAR POSITION LAMP (RPL) LE1 Distance between illuminating surface at least 400mm, and within 400mm from extreme outer edge of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.7.3.1.1	Instrument light as telltale?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.7.10	If NA, is a non-flashing green telltale fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.8.3.1.2	REAR REFLEX REFLECTOR (NON-TRIANGULAR) LE1 Distance between illuminating surface at least 400mm, and within 400mm from extreme outer edge of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.8.3.1.1	HAZARD WARNING LAMP All direction indicator lamps flash in phase?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.9.1	Independent switch?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.9.2	Flashing telltale fitted?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.9.3	Can Hazard Warning be activated with engine ignition in the off position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

67.4.9.4.1	FRONT FOG LAMPS (OPTIONAL) LE1 Lamp centre of reference on the medium longitudinal plane or not more than 250mm from the medium longitudinal plane of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.10.3.1.2	REAR FOG LAMPS (OPTIONAL) If only one lamp fitted is mounted either in the median longitudinal plane or to the right?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.11.3.1	The illuminating surface of the fog lamp at least 100mm from the illuminating surface of the stop lamp?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.11.3.4	(1) Can rear fog lamp operate only when dipped beam or main beam lamps and/or the front fog lamp is on?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) Can rear fog lamp be extinguished independently of the front fog lamps (if fitted)?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	Independent, non-flashing, circuit closed tell-tale fitted and operational?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.11.9	PARKING LAMP (OPTIONAL) For LB1, LE1 If rear oriented only, One or Two lamps fitted?	One <input type="checkbox"/> Two <input type="checkbox"/>	
	If front and rear oriented Two or Three lamps fitted?	Two <input type="checkbox"/> Three <input type="checkbox"/>	
67.4.13.2.2	Is illuminating surface not more than 400mm from extreme outer edge of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	If only two lamps provided are these provided on the side of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.13.9	Switch to permit parking lamps to be lit independently of any other lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.13.9	Able to operate with the ignition switch in 'OFF' position	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.13.10	If fitted, impossible to confuse telltale with that for the front and rear position Lamps?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.14.9	REVERSING LAMPS (IF REVERSE GEAR FITTED) Is the lamp always lit when reverse gear engaged and:	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.14.9	(1) The device controlling starting and stopping engine is in a position where engine can be operated?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	(2) The engine is running?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.18.3.1 67.4.18.11	CONSPICUITY LAMPS (OPTIONAL) Are One or Two conspicuity lamps fitted?	One <input type="checkbox"/> Two <input type="checkbox"/>	
	Are they separate lamps or combined with Dipped-Beam headlamps ?	Sep <input type="checkbox"/> Comb <input type="checkbox"/>	
67.4.18.9.1	If conspicuity Lamps fitted, are they lit every time the engine is run?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Notes:.....
.....
.....

ICV Tricycle Guidelines: LO5-LEP1 Checklist

67.4.18.9.1	CORNERING LAMPS (OPTIONAL) Lighted continuously together with the corresponding direction indicator?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.19.9.2	Only lighted when the headlamp switch is in the on position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.20 67.4.20.4.3.2	SIDE MARKER LAMPS (OPTIONAL, MANDATORY FOR VEHICLES >2.1m WIDE and > 7.5m in LENGTH) Front lamps within the front 3 rd of the vehicle , but not forward of a plane through the rearmost point of the driver's seat in the rearmost position?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
67.4.20.4.3.1	Are rear lamps not more than 300mm from the rear of the vehicle?	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

Additional Safety Requirements

	Are welded steering or suspension components accompanied by a satisfactory report from a Signatory or Metallurgist?*	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	
	There are no critical steering or suspension components that have been chrome plated.	Y <input type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>	

NOTE: If the answer to any question is **N (No)**, the modification cannot be approved under this Code.

Notes:.....

