



Australian Government

**Department of Infrastructure, Transport,
Regional Development, Communications, Sport and the Arts**

**Department of Infrastructure, Transport, Regional Development, Communications,
Sport and the Arts**

Vehicle Safety Operations Branch

Road-Friendly Suspension Certificate Number (RFCN):

Issue Date: 7 October 2025

The Assistant Secretary, Vehicle Safety Standards Branch has assessed the information in Schedule 3 for the suspension described in Road Friendly Certificate Schedule 2, which the Supplier identified in Schedule 1 has submitted as complying with the road-friendliness requirements as specified in National Road Transport Commission (NRTC) publication 'Road-Friendly Suspension – Performance and Component Requirements, and Acceptable Test methods. This information will be acceptable for use as evidence of compliance with the requirements specified in the NRTC publication provided the suspension is installed according to the Supplier's nominated installation instructions identified in Schedule 3.

The issue of this Certificate is subject to the following conditions:

1. The Supplier shall not quote the Road-Friendly Certificate Number in respect of a suspension which is not the suspension certified in the Road-Friendly Suspension certificate with that number.
2. Without the prior approval of the General Manager, Vehicle Safety Standards Branch, the Supplier shall not quote Road-Friendly Certificate Number in respect of a suspension, that is in any way different from the suspension described in the final form of the application for this Suspension Certificate Number. The application includes reports and other information relating to the application.
3. The Supplier shall by detailed quality control and test ensure continuing compliance with the requirements.
4. The Supplier shall maintain records of detailed quality control and test documentation.
5. The Supplier shall supply upon request, to General Manager, Vehicle Safety Standards Branch any additional information requested for the purpose of demonstrating compliance.
6. The Supplier shall not quote the Road-Friendly Certificate Number in respect of a suspension on or after the Expiry date specified in the certificate.
7. The Supplier shall indicate by an appropriate method (decals, label or plate) the Road-Friendly Suspension Certificate Number (RFCN) on the suspension system, or on a suitable location on the vehicle near the installed suspension or the vehicle compliance plate.
8. On cessation of marketing the specified suspension in Australia, the Supplier shall notify General Manager, Vehicle Safety Standards Branch of the date of manufacture of the last specified suspension supplied to the market in Australia.
9. If the requirements for road-friendliness are changed by the National Road Transport Commission, a new approval may be required.



Australian Government

**Department of Infrastructure, Transport,
Regional Development, Communications, Sport and the Arts**

Certificate No: RF2134

Issue Date: 7/10/2025

Expiry Date: Life of Model

SCHEDULE 1

Supplier Name: Jost Australia Pty Ltd

Supplier ID:

Supplier Address: 1435 Boundary Rd, Wacol QLD 4076

SCHEDULE 2

Make: JOST


Model: AS

SCHEDULE 3

	Variant 1	Variant 2	Variant 3	Variant 4	Variant 5	Variant 6
Variant name:	JOST-OS-2-350	JOST-US-2-350	JOST-OS-3-350	JOST-US-3-350	JOST-OS-4-350	JOST-US-4-350
Number of Axles	2	2	3	3	4	4
Overslung/Underslung	Overslung	Underslung	Overslung	Underslung	Overslung	Underslung
Maximum Axle spread (m)	2.0	2.0	3.2	3.2	4.9	4.9
Dampers Part Numbers	JAX12F29352 70450X	JAX12F29352 70400X	JAX12F29352 70450X	JAX12F29352 70400X	JAX12F29352 70450X	JAX12F29352 70400X
Smallest Tyre Size Designation	255/70R22.5	255/70R22.5	255/70R22.5	255/70R22.5	255/70R22.5	255/70R22.5
Highest tyre pressure (Kpa)	825	825	825	825	825	825
Airbag Diameter (mm)	350	350	350	350	350	350
Reference Drawings No of Suspension (parts list & assembly details)	HJG10A1AO/ GE	HJG10A1AO/ DJ	HJG10A1AO/ GE	HJG10A1AO/ DJ	HJG10A1AO/ GE	HJG10A1AO/ GE

OFFICIAL

	Variant 7	Variant 8				
Variant name:	JOST-US-1-350	JOST-US-2-350				
Number of Axles	1	2				
Overslung/Underslung	Underslung	Underslung				
Maximum Axle spread (m)	NA	2.0				
Dampers Part Numbers	JAX12F2935270400XS	JAX12F2935270400XS				
Smallest Tyre Size Designation	255/70R22.5	255/70R22.5				
Highest tyre pressure (Kpa)	825	825				
Airbag Diameter (mm)	350	350				
Reference Drawings No of Suspension (parts list & assembly details)	JASDI1041OSABS JASDI1041USABS JASDR1041OSABS JASDR1041USABS	JASDI1041OSABS JASDI1041USABS JASDR1041OSABS JASDR1041USABS				



Umesh Shamdasani
Director of Technical Assessment and Approvals team
Vehicle Safety Operations Branch

27th May 2026

