Pob McNar

To: Cc: s. 47F

s. 47F RE: Y2G PRG - s. 47F map [SEC=UNCLASSIFIED] Tuesday, 11 April 2017 5:50:45 PM Subject:

Attachr

image001.png B2G Unit rate for construction (AECOM Estimate) and construction costs.xlsx



Further to our phone conversation please find attached the table which provides a breakdown of unit construction costs for the 4 alignments that have been assessed as part of the recent PRG process.

Bruce Wilson AMS. 47F

Based on a very high level look it would appear that the forestry route via Cecil Plains that was advocated at the PRG process would be about 20 to 30 kilometres longer. Using the unit rates from the PRG alignments means that additional construction capital may be in the order of \$170M to \$220M as an approximate guide. Also it should be noted that the Cecil Plains route still requires a crossing of the Condamine floodplain although the distance would be roughly 12km as opposed to 16km or thereabouts on the other options

In addition the Cecil Plains suggestion would join the existing West Moreton rail line alignment closer to Oakey which based on 8. 47F map would mean that it would bypass Well Camp airport precinct.

Whilst the above comments are very high level I trust they give you some further background information. Feel free to give me a call on the mobile if you would like to discuss further or had any questions.

Rob McNamara

QLD Delivery Manager



P.s. 47F M.s. 47F E.s. 47F

Australian Rail Track Corporation

Level 12

Brisbane QLD 4000

artc.com.au

The information in this email and any attachments to it is confidential to the intended recipient and may be privileged. Receipt by a person other than the intended recipient does not waive confidentiality or privilege. Unless the intended recipient does not waive confidentiality or privilege. Unless the intended recipient does not waive confidentiality or privilege. Unless that the intended recipient does not waive confidentiality or privilege. When the intended recipient does not waive confidentiality or privilege. The information in this email and any attachments to it is confidential to the intended recipient and may be privileged. Receipt by a person other than the intended recipient does not waive confidentiality or privilege. Unless the intended recipient does not waive confidentiality or privilege. you are the intended recipient, you are not authorised to disseminate, copy, retain or rely on the whole or any part of this communication. If you have received this communication in error please notify ARTC on +61 8 8217 4366. While we have taken various steps to alert us to the presence of computer viruses we do not guarantee that this communication is virus free.

From: s. 47F [mailto s. 47F @infrastructure.gov.au] Sent: Tuesday, 11 April 2017 1:19 PM To: Simon Eldridge; Rob McNamara Cc:s. 47F ; Bruce Wilson AM s. 47F)

Subject: Y2G PRG -S. 47F map [SEC=UNCLASSIFIED]

Hi Simon and Rob,

I've attached here the map that **5**. 47F provided at yesterday's final Y2G PRG meeting. I'm sure we will see more about this as an option in the public domain. Has ARTC considered a route this far west of the base case (modified)? We are wondering how workable would such a route might be and whether it would be worth further consideration?

Cheers

s. 47F

Director, Stakeholder Engagement

Inland Rail Branch | Infrastructure Investment Division

Department of Infrastructure and Regional Development

GPO Box 594, Canberra ACT 2601

ts. 47F | ms. 47F

es. 47F @infrastructure.gov.au | w www.infrastructure.gov.au ?

Disclaimer

This message has been issued by the Department of Infrastructure and Regional Development.

The information transmitted is for the use of the intended recipient only and may contain confidential and/or legally privileged material. Any review, re-transmission, disclosure, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited and may result in severe penalties.

If you have received this e-mail in error, please notify the Department on (02) 6274-7111

and delete all copies of this transmission together with any attachments.