

Key Freight Routes

Road Expenditure and Investment Plans
2016-17 to 2019-20

Northern Territory



Introduction

At the May 2014 meeting of the Transport and Infrastructure Council, state, territory and Commonwealth transport Ministers agreed to implement a series of measures to improve the heavy vehicle investment and charging framework. One of the initial measures agreed by transport Ministers was to publish road expenditure plans. The measure would allow the heavy vehicle industry to better understand and participate in new investment decisions and price setting processes.

Publishing road expenditure plans represents a critical step towards reform of heavy vehicle charging arrangements in Australia. This is because transparency around future road expenditure is a key precursor to implementing direct charging.

Road Expenditure and Investment Plans 2016-17 to 2019-20 is the second time that Road and Investment plans have been produced, following the publication of the first versions in early 2016. The plans cover the Key Freight Routes, which are the roads connecting nationally significant places for freight in Australia.

The delivery of the expenditure plans is the culmination of a concerted and coordinated effort between state, territory and the Commonwealth Governments.

The plans are updated on an annual basis, with improvements and refinements being made as this work progresses. In the longer term, the expenditure plans will support the next phase of heavy vehicle road reform, moving to a forward looking cost base, that will allow heavy vehicle charges to be set based on the future needs of users, rather than the past spending decisions of governments as is currently the case.


Disclaimer

Please note that while every attempt has been made to provide up to date and accurate data, any information should be considered indicative and subject to change.

Contents

Northern Territory: Key Freight Route Roads	3
Arnhem Highway	5
Barkly Highway	8
Berrimah Road	10
Carpentaria Highway	12
Lasseter Highway	14
McMillans Road	16
Plenty Highway	18
Roper Highway	20
Stuart Highway	23
Tanami Road	26
Tiger Brennan Drive	28
Victoria Highway	30

Northern Territory: Key Freight Route Roads



Key statistics

- The Northern Territory road network plays a significant role in linking major towns and regional communities within the territory and interstate. With only one major north-south rail line, the importance of the road network in transporting freight as well as providing access to rural communities cannot be understated.
- There are approximately 36,000 kilometres of roads in the Northern Territory, 22,000 managed by the Northern Territory Government and the balance by local government. In contrast with other jurisdictions, only 23 per cent of roads are sealed.
- The Key Freight Routes make up approximately 4,516 kilometres of these roads, with 79 per cent of these roads being sealed.
- Annual road freight activity in the Northern Territory (in 2012-13) is estimated at 1.72 billion tonne kilometres, including 1.16 billion tonne kilometres of interstate freight and 0.55 billion tonne kilometres of intrastate freight.


Overview of Expenditure and Investment

2016–17 approved	(\$m)	121.98
2017–18 indicative	(\$m)	163.46
2018–19 indicative	(\$m)	95.17
2019–20 indicative	(\$m)	80.06
Total	(\$m)	460.67

Planned Expenditure and Investment

Route	2016-17 approved (\$m)	2017-18 indicative (\$m)	2018-19 indicative (\$m)	2019-20 indicative (\$m)	Total 2016-17 to 2019-20 indicative (\$m)
Arnhem Highway	5.22	13.89	40.27	40.29	99.67
Barkly Highway	2.91	2.66	1.70	1.70	8.97
Berrimah Road	0.40	0.20	0.40	0.20	1.20
Carpentaria Highway	7.08	2.99	3.80	3.92	17.79
Lasseter Highway	1.22	5.28	1.34	1.91	9.75
McMillans Road	0.71	2.11	1.12	1.53	5.47
Plenty Highway	16.40	24.39	19.35	3.99	64.13
Roper Highway	28.75	25.69	3.13	2.82	60.39
Stuart Highway	30.71	35.00	15.97	15.97	97.65
Tanami Road	8.72	5.43	3.26	3.20	20.61
Tiger Brennan Drive	8.17	0.26	1.56	1.26	11.25
Victoria Highway	11.69	45.56	3.27	3.27	63.79
Total	121.98	163.46	95.17	80.06	460.67

Arnhem Highway



Key statistics

- The Arnhem Highway is a 223 kilometre long sealed rural arterial road that links the Stuart Highway to the township of Jabiru and the Kakadu National Park.
- Key drivers are cattle, community access, defence (access to Mount Bundy), mining and tourism.

Overview of Expenditure and Investment


2016–17 approved	(\$m)	5.22
2017–18 indicative	(\$m)	13.89
2018–19 indicative	(\$m)	40.27
2019–20 indicative	(\$m)	40.29
Total	(\$m)	99.67

Arnhem Highway: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Black Spot Program	Top End Rural	Widen culverts Scott Creek (chainage 54.5 km) and Mt Bundy Creek floodway (chainage 63.3 km)	0.25	-	0.25	0.19	-	-	-
Rural arterials - pavement strengthening and widening	Top End Rural	Pavement strengthening and widening at Scott Creek (chainage 54-55km) and Mt Bundy Creek (chainage 65.3-67.3km)	1.00	1.00	-	1.00	-	-	-
Rural arterials - pavement strengthening and widening	Top End Rural	Pavement strengthening and widening at Beatrice Hill Causeway	1.85	1.85	-	0.60	1.25	-	-
Rural arterials - pavement strengthening and widening	Top End Rural	Pavement strengthening and widening of various sections	4.00	4.00	-	-	1.00	2.00	1.00
Upgrade Adelaide River Floodplain	Top End Rural	Improve flood immunity of the Adelaide River Floodplain	78.78	16.48	62.30	0.54	7.00	35.00	35.88
Heavy Vehicle Safety and Productivity Programme (Round 5) - Upgrade Truck Parking Bays	Top End Rural	Upgrade Truck Parking Bays at the South Alligator Roadhouse	1.50	0.75	0.75	-	1.50	-	-
Minor New Works	Top End Rural	Various minor upgrades, safety and traffic management improvements	1.88	1.88	-	0.38	0.50	0.50	0.50
<i>Subtotal project expenditure</i>			<i>89.26</i>	<i>25.96</i>	<i>63.30</i>	<i>2.71</i>	<i>11.25</i>	<i>37.50</i>	<i>37.38</i>

Other expenditure							
Repairs & Maintenance				2.51	2.64	2.77	2.91
<i>Subtotal other expenditure</i>				<i>2.51</i>	<i>2.64</i>	<i>2.77</i>	<i>2.91</i>
Total	89.26	25.96	63.30	5.22	13.89	40.27	40.29

Barkly Highway



Key statistics

- The Barkly Highway is a 434 kilometre long sealed Rural National Highway that extends from the Stuart Highway at Three Ways (near Tennant Creek) to the Queensland border.
- The road is part of the National Land Transport Network and is the key transport and freight link to Queensland.
- Key drivers include mining, cattle, tourism and community access.


Overview of Expenditure and Investment

2016–17 approved	(\$m)	2.91
2017–18 indicative	(\$m)	2.66
2018–19 indicative	(\$m)	1.70
2019–20 indicative	(\$m)	1.70
Total	(\$m)	8.97

Barkly Highway: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Northern Territory Road Package - Safety and Fatigue Management	Barkly	Install audio tactile edge markings	0.50	-	0.50	0.50	-	-	-
National Network Strengthening and Widening	Barkly	Resealing of various sections	1.72	-	1.72	0.76	0.96	-	-
Minor New Works	Barkly	Various minor upgrades, safety and traffic management improvements	1.15	1.15	-	0.25	0.30	0.30	0.30
<i>Subtotal project expenditure</i>			<i>3.37</i>	<i>1.15</i>	<i>2.22</i>	<i>1.51</i>	<i>1.26</i>	<i>0.30</i>	<i>0.30</i>
Other expenditure									
Repairs & Maintenance						1.40	1.40	1.40	1.40
<i>Subtotal other expenditure</i>						<i>1.40</i>	<i>1.40</i>	<i>1.40</i>	<i>1.40</i>
Total			3.37	1.15	2.22	2.91	2.66	1.70	1.70

Berrimah Road



Key statistics

- The Berrimah Road is an 8.7 kilometres long sealed major arterial road servicing a large industrial area and the East Arm Port.
- The road is part of the National Land Transport network.
- Key drivers are urban use and freight distribution.


Overview of Expenditure and Investment

2016–17 approved	(\$m)	0.40
2017–18 indicative	(\$m)	0.20
2018–19 indicative	(\$m)	0.40
2019–20 indicative	(\$m)	0.20
Total	(\$m)	1.20

Berrimah Road: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Minor New Works	Darwin	Various minor upgrades, safety and traffic management improvements	0.80	0.80	-	0.40	-	0.40	-
<i>Subtotal project expenditure</i>			<i>0.80</i>	<i>0.80</i>	<i>-</i>	<i>0.40</i>	<i>-</i>	<i>0.40</i>	<i>-</i>
Other expenditure									
Repairs & Maintenance						-	0.20	-	0.20
<i>Subtotal other expenditure</i>						<i>-</i>	<i>0.20</i>	<i>-</i>	<i>0.20</i>
Total			0.80	0.80	-	0.40	0.20	0.40	0.20

Carpentaria Highway



Key statistics

- The Carpentaria Highway is a 380 kilometre long sealed rural arterial road that links the Stuart Highway to Borroloola and the Gulf Region.
- The existing MacArthur River Mine and the developing iron ore prospects along the Nathan River Road rely on the Carpentaria Highway for provision of supplies and transport of heavy equipment.


Overview of Expenditure and Investment

2016–17 approved	(\$m)	7.08
2017–18 indicative	(\$m)	2.99
2018–19 indicative	(\$m)	3.80
2019–20 indicative	(\$m)	3.92
Total	(\$m)	17.79

Carpentaria Highway: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Heavy Vehicle Safety and Productivity Programme - Round 4 - Carpentaria Highway - Borrooloola Jump Up	Katherine	Strengthening of the Carpentaria Pavement along with the realignment of the Borrooloola Jump Up section (chainage 229-233 km)	4.30	2.15	2.15	1.91	-	-	-
Rural arterials - pavement strengthening and widening	Katherine	Strengthening of the Carpentaria Pavement along with the realignment of the Borrooloola Jump Up section (chainage 229-233 km)	1.00	1.00	-	1.00	-	-	-
Rural arterials - pavement strengthening and widening	Katherine	Pavement strengthening and widening (chainage 128-132.2 km)	2.00	2.00	-	1.64	0.30	-	-
Rural arterials - pavement strengthening and widening	Katherine	Pavement strengthening and widening of various sections	2.00	2.00	-	-	-	1.00	1.00
Minor New Works	Katherine	Various minor upgrades, safety and traffic management improvements	1.55	1.55	-	0.35	0.40	0.40	0.40
Subtotal project expenditure			9.30	7.15	2.15	4.90	0.70	1.40	1.40
Other expenditure									
Repairs & Maintenance						2.18	2.29	2.40	2.52
Subtotal other expenditure						2.18	2.29	2.40	2.52
Total			9.30	7.15	2.15	7.08	2.99	3.80	3.92

Lasseter Highway



Key statistics

- The Lasseter Highway is a 244 kilometre long sealed rural arterial road that links the Stuart Highway to Uluru.
- Key drivers include tourism, cattle, community access and mineral exploration.


Overview of Expenditure and Investment

2016–17 approved	(\$m)	1.22
2017–18 indicative	(\$m)	5.28
2018–19 indicative	(\$m)	1.34
2019–20 indicative	(\$m)	1.91
Total	(\$m)	9.75

Lasseter Highway: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Heavy Vehicle Safety and Productivity Programme (Round 5) - Pavement & Seal Widening	Central Australia	Widen the pavement and seal between Ch 29-44 km	3.50	1.75	1.75	-	3.50	-	-
Minor New Works	Central Australia	Various minor upgrades, safety and traffic management improvements	1.00	1.00	-	-	0.50	-	0.50
<i>Subtotal project expenditure</i>			<i>4.50</i>	<i>2.75</i>	<i>1.75</i>	<i>-</i>	<i>4.00</i>	<i>-</i>	<i>0.50</i>
Other expenditure									
Repairs & Maintenance						1.22	1.28	1.34	1.41
<i>Subtotal other expenditure</i>						<i>1.22</i>	<i>1.28</i>	<i>1.34</i>	<i>1.41</i>
Total			4.50	2.75	1.75	1.22	5.28	1.34	1.91

McMillans Road



Key statistics

- McMillans Road is a 13.3 kilometre long sealed urban arterial road that links Darwin and the Stuart Highway to the Darwin International Airport.
- Key drivers are urban use, community access and airport access.


Overview of Expenditure and Investment

2016–17 approved	(\$m)	0.71
2017–18 indicative	(\$m)	2.11
2018–19 indicative	(\$m)	1.12
2019–20 indicative	(\$m)	1.53
Total	(\$m)	5.47

McMillans Road: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Strengthen and resurface ageing pavements on the urban arterial road network	Darwin	Strengthen pavement and asphalt resurface; various sections	4.00	4.00	-	-	2.00	1.00	1.00
Road safety and traffic management improvements on urban arterials	Darwin	Upgrade intersection of McMillans Road and Kalymnos Drive	0.30	0.30	-	0.23	-	-	-
Minor New Works	Darwin	Various minor upgrades, safety and traffic management improvements.	0.78	0.78	-	0.38	-	-	0.40
<i>Subtotal project expenditure</i>			<i>5.08</i>	<i>5.08</i>	<i>-</i>	<i>0.61</i>	<i>2.00</i>	<i>1.00</i>	<i>1.40</i>
Other expenditure									
Repairs & Maintenance						0.10	0.11	0.12	0.13
<i>Subtotal other expenditure</i>						<i>0.10</i>	<i>0.11</i>	<i>0.12</i>	<i>0.13</i>
Total			5.08	5.08	-	0.71	2.11	1.12	1.53

Plenty Highway



Key statistics

- The Plenty Highway is a 499 kilometre long rural arterial road that links the Stuart Highway (north of Alice Springs) to the Queensland border, and connects to the Donohue Highway in Queensland.
- The Plenty Highway is part of the Outback Way tourist route.
- The road is sealed (single lane) for the first 97 kilometres from the Stuart Highway, with the remaining 402 kilometres being unsealed.
- Key drivers are cattle, community access, mineral exploration and tourism.


Overview of Expenditure and Investment

2016–17 approved	(\$m)	16.40
2017–18 indicative	(\$m)	24.39
2018–19 indicative	(\$m)	19.35
2019–20 indicative	(\$m)	3.99
Total	(\$m)	64.13

Plenty Highway: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Improve Outback Way Roads	Central Australia	Upgrade and seal various sections between end of seal and Harts Range	25.00	12.50	12.50	13.82	11.18	-	-
Plenty Highway Upgrade	Central Australia	Upgrade and seal various sections	25.00	5.00	20.00	-	10.00	15.00	-
Rural arterials - pavement strengthening and widening	Central Australia	Pavement strengthening and widening of various sections	2.00	2.00	-	-	-	1.00	1.00
Minor New Works	Central Australia	Various minor upgrades, safety and traffic management improvements	1.00	1.00	-	-	0.50	0.50	-
<i>Subtotal project expenditure</i>			<i>53.00</i>	<i>20.50</i>	<i>32.50</i>	<i>13.82</i>	<i>21.68</i>	<i>16.50</i>	<i>1.00</i>
Other expenditure									
Repairs & Maintenance						2.58	2.71	2.85	2.99
<i>Subtotal other expenditure</i>						<i>2.58</i>	<i>2.71</i>	<i>2.85</i>	<i>2.99</i>
Total			53.00	20.50	32.50	16.40	24.39	19.35	3.99

Roper Highway



Key statistics

- The Roper Highway is a 206 kilometre long rural secondary road that links the Stuart Highway (at Mataranka) to Roper Mineral region and the community of Ngukurr.
- The road is sealed (predominantly single lane) for the first 134 kilometres from the Stuart Highway, with the remaining 72 kilometres being unsealed.

Overview of Expenditure and Investment


2016–17 approved	(\$m)	28.75
2017–18 indicative	(\$m)	25.69
2018–19 indicative	(\$m)	3.13
2019–20 indicative	(\$m)	2.82
Total	(\$m)	60.39

Roper Highway: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Heavy Vehicle Safety and Productivity Programme - Round 4 - Roper Highway - Upgrade Truck Parking Bays	Katherine	Upgrading of three truck parking bays (at chainages 37.7 km, 56 km and 86 km) from unsealed to sealed standard	1.50	0.75	0.75	1.48	-	-	-
Heavy Vehicle Safety and Productivity Programme - Round 4 - Roper Highway - Pavement and Seal Widening at Various Locations	Katherine	Pavement strengthening and widening at various locations along the Roper Highway (chainages 0-134 km)	6.20	3.10	3.10	1.86	-	-	-
Regional Roads Productivity Package - Roper Highway	Katherine	Construct high level bridges over the Roper and Wilton Rivers	44.50	8.00	36.50	19.02	19.02	-	-
Secondary and Local Roads Pavement Strengthening and Widening	Katherine	Pavement strengthening and widening at various locations along the Roper Highway (chainages 0-134 km)	4.52	4.52	-	4.02	0.50	-	-
Secondary and Local Roads Pavement Strengthening and Widening	Katherine	Pavement strengthening and widening at various locations along the Roper Highway (chainages 0-134 km)	3.00	3.00	-	-	1.00	1.00	1.00
Progressive upgrade and seal from Fizzer Creek to Ngukurr	Katherine	Upgrade and seal selected sections between Fizzer Creek and Ngukurr	4.00	4.00	-	0.80	3.12	-	-
Minor New Works	Katherine	Various minor upgrades, safety and traffic management improvements	0.80	0.80	-	-	0.40	0.40	-
Subtotal project expenditure			64.52	24.17	40.35	27.18	24.04	1.40	1.00

Other expenditure								
Repairs & Maintenance				1.57	1.65	1.73	1.82	
<i>Subtotal other expenditure</i>				<i>1.57</i>	<i>1.65</i>	<i>1.73</i>	<i>1.82</i>	
Total	64.52	24.17	40.35	28.75	25.69	3.13	2.82	

Stuart Highway



Key statistics

- The Stuart Highway is a 1786 kilometre long sealed Rural National Highway that extends from Darwin to the South Australian border.
- The road is part of the National Land Transport Network and is the major Northern Territory transport corridor.
- The Stuart Highway provides a major link through the territory for both freight and tourism.

Overview of Expenditure and Investment


2016–17 approved	(\$m)	30.71
2017–18 indicative	(\$m)	35.00
2018–19 indicative	(\$m)	15.97
2019–20 indicative	(\$m)	15.97
Total	(\$m)	97.65

Stuart Highway: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Northern Territory Road Package - Safety and Fatigue Management	Various	Upgrade of intersections, installation of guard rail at creek crossings, upgrading of rest areas and installation of audio tactile edge marking at various locations.	19.00	-	19.00	3.00	7.86	-	-
Stuart Highway Upgrade - Pinelanes to Industrial Precinct Access	Palmerston & Litchfield	Upgrade the Stuart Highway - Pinelanes to Industrial Precinct Access	6.00	6.00	-	0.23	5.77	-	-
National Network Strengthening and Widening	Top End Rural	Pavement Strengthening Ch 108-110 km	2.95	-	2.95	1.90	-	-	-
National Network Strengthening and Widening	Central Australia	Asphalt Resurfacing Ch 1494.4-1494.7 km	0.60	-	0.60	0.17	-	-	-
National Network Strengthening and Widening	Palmerston & Litchfield	Pavement Strengthening Coolalinga Ch 27.4-28.7 km	3.70	-	3.70	3.70	-	-	-
National Network Strengthening and Widening	Various	Resealing of various sections	9.60	-	9.60	4.20	5.40	-	-
Road safety and traffic management improvements on urban arterials	Palmerston & Litchfield	Upgrade various intersections and other traffic management and safety improvements	1.16	1.16	-	1.16	-	-	-
<i>(continued)</i>									

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Strengthen and resurface ageing pavements on the urban arterial road network	Darwin, Palmerston & Litchfield	Strengthen pavement and asphalt resurface various sections of the Stuart Highway	3.00	3.00	-	-	1.00	1.00	1.00
Minor New Works	Various	Various minor upgrades, safety and traffic management improvements	9.38	9.38	-	3.38	2.00	2.00	2.00
<i>Subtotal project expenditure</i>			<i>55.39</i>	<i>19.54</i>	<i>35.85</i>	<i>17.74</i>	<i>22.03</i>	<i>3.00</i>	<i>3.00</i>
Other expenditure									
Repairs & Maintenance						12.97	12.97	12.97	12.97
<i>Subtotal other expenditure</i>						<i>12.97</i>	<i>12.97</i>	<i>12.97</i>	<i>12.97</i>
Total			55.39	19.54	35.85	30.71	35.00	15.97	15.97

Tanami Road



Key statistics

- The Tanami Highway is a 703 kilometre long rural arterial road that links the Stuart Highway (north of Alice Springs) to the Tanami Mineral region and the Western Australia border.
- The road is part sealed (220 kilometres), with the remaining 483 kilometres being unsealed.


Overview of Expenditure and Investment

2016–17 approved	(\$m)	8.72
2017–18 indicative	(\$m)	5.43
2018–19 indicative	(\$m)	3.26
2019–20 indicative	(\$m)	3.20
Total	(\$m)	20.61

Tanami Road: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Tanami Road upgrade	Central Australia	Extending the seal towards Yuendumu	10.00	8.70	1.30	1.32	-	-	-
Tanami Road upgrade	Central Australia	Extending the seal towards Yuendumu	3.00	3.00	-	0.50	2.50	-	-
Rural arterials - pavement strengthening and widening	Central Australia	Pavement and seal widening (chainage 0-7.5 km)	1.32	1.32	-	1.23	-	-	-
Rural arterials - pavement strengthening and widening	Central Australia	Pavement strengthening and widening (chainage 38-44 km)	3.26	3.26	-	3.07	-	-	-
Minor New Works	Central Australia	Various minor upgrades, safety and traffic management improvements	1.20	1.20	-	0.10	0.30	0.50	0.30
<i>Subtotal project expenditure</i>			<i>18.78</i>	<i>17.48</i>	<i>1.30</i>	<i>6.22</i>	<i>2.80</i>	<i>0.50</i>	<i>0.30</i>
Other expenditure									
Repairs & Maintenance						2.50	2.63	2.76	2.90
<i>Subtotal other expenditure</i>						<i>2.50</i>	<i>2.63</i>	<i>2.76</i>	<i>2.90</i>
Total			18.78	17.48	1.30	8.72	5.43	3.26	3.20

Tiger Brennan Drive



Key statistics

- The Tiger Brennan Drive is an 18.5 kilometre long sealed major urban arterial road linking Darwin and Palmerston and is a major freight route to port and rail facilities.
- The road is part of the National Land Transport network.
- Key drivers are urban use and freight distribution.


Overview of Expenditure and Investment

2016–17 approved	(\$m)	8.17
2017–18 indicative	(\$m)	0.26
2018–19 indicative	(\$m)	1.56
2019–20 indicative	(\$m)	1.26
Total	(\$m)	11.25

Tiger Brennan Drive: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Tiger Brennan Drive Duplication - Darwin CBD to Berrimah Road	Darwin	Duplication of the Tiger Brennan Drive between Berrimah Road to Dinah Beach Road	103.00	33.00	70.00	4.46	-	-	-
Tiger Brennan Drive Duplication - Additional Works	Darwin	Duplication of the Tiger Brennan Drive between Berrimah Road to Dinah Beach Road	3.45	3.45	-	3.45	-	-	-
Strengthen and resurface ageing pavements on the urban arterial road network	Darwin	Strengthen pavement and asphalt resurface various sections	2.00	2.00	-	-	-	1.00	1.00
Minor New Works	Darwin	Various minor upgrades, safety and traffic management improvements	0.30	0.30	-	-	-	0.30	-
<i>Subtotal project expenditure</i>			<i>108.75</i>	<i>38.75</i>	<i>70.00</i>	<i>7.91</i>	<i>-</i>	<i>1.30</i>	<i>1.00</i>
Other expenditure									
Repairs & Maintenance						0.26	0.26	0.26	0.26
<i>Subtotal other expenditure</i>						<i>0.26</i>	<i>0.26</i>	<i>0.26</i>	<i>0.26</i>
Total			108.75	38.75	70.00	8.17	0.26	1.56	1.26

Victoria Highway



Key statistics

- The Victoria Highway is a 469 kilometre long sealed Rural National Highway that extends from the Stuart Highway at Katherine to the Western Australian border.
- The road is part of the National Land Transport Network and is the key transport and freight link to Western Australia.
- Key drivers include mining, cattle, tourism and community access.

Overview of Expenditure and Investment

2016–17 approved	(\$m)	11.69
2017–18 indicative	(\$m)	45.56
2018–19 indicative	(\$m)	3.27
2019–20 indicative	(\$m)	3.27
Total	(\$m)	63.79

Victoria Highway: Planned Expenditure and Investment

Project	Location description	Work description	Indicative total cost (\$m)	NT Government / other contribution (\$m)	Australian Government contribution (\$m)	2016-17 Approved all funding sources (\$m)	2017-18 Indicative all funding sources (\$m)	2018-19 Indicative all funding sources (\$m)	2019-20 Indicative all funding sources (\$m)
Northern Territory Road Package - Flood Immunity - Victoria Highway	Katherine	Upgrading Saddle Creek crossing on the Victoria Highway to improve flood immunity	6.73	-	6.73	3.52	-	-	-
Victoria Highway - New Bridges over Little Horse and Big Horse Creeks	Katherine	Construct new high level bridges at Little Horse and Big Horse Crossings	35.50	15.49	20.01	1.83	33.40	-	-
Northern Territory Road Package - Safety and Fatigue Management	Katherine	Guard rail installation at creek crossings, widen culverts and upgrade rest areas	1.50	-	1.50	1.02	-	-	-
National Network Strengthening and Widening	Katherine	Pavement Strengthening Ch 87-95.8 km	6.98	-	6.98	2.00	4.98	-	-
National Network Strengthening and Widening	Katherine	Pavement Strengthening Ch 80-82.5 km	2.62	-	2.62	-	2.62	-	-
National Network Strengthening and Widening	Katherine	Resealing of various sections	1.98	-	1.98	0.69	1.29	-	-
Minor New Works	Katherine	Various minor upgrades, safety and traffic management improvements.	2.56	2.56	-	0.16	0.80	0.80	0.80
<i>Subtotal project expenditure</i>			<i>57.87</i>	<i>18.05</i>	<i>39.82</i>	<i>9.22</i>	<i>43.09</i>	<i>0.80</i>	<i>0.80</i>
Other expenditure									
Repairs & Maintenance	Katherine	Repairs & Maintenance	9.88	-	9.88	2.47	2.47	2.47	2.47
<i>Subtotal other expenditure</i>						<i>2.47</i>	<i>2.47</i>	<i>2.47</i>	<i>2.47</i>
Total			57.87	18.05	39.82	11.69	45.56	3.27	3.27